# JUL 1 9 2004

#### AGA Linde Healthcare



### 510(k) Summary MEDICYL-E-Lite Portable Oxygen System 510(k) Number: K033897

Submitted in accordance with the requirements of SMDA 1990 and 21CFR807.92.

1. APPLICANT'S INFORMATION:

Edward W. Siurek III

Dir., Operational Quality, IBD Global Operations

PH:

(216) 328-9801

FX:

(216) 328-9818

Internet:

http://www.agalindehealthcare.com

Medical Establishment

Registration No.:

pending

2. SUBMITTER'S INFORMATION

James Jochen Rogers

General Manager

Coastal Consulting Group, Ltd.

P.O. Box 391117 Solon, OH 44139

PH/FX:

440,546,4936

Mobile:

724.713.2298

E-mail:

coastalcg@earthlink.net

Internet:

http://www.immersive-reality.biz

3. Date:

December 15, 2003

4. DEVICE INFORMATION

Trade/Proprietary Name:

Common Name:

MEDICYL-E-Lite Portable Oxygen delivery system

MEDICYL-E-Lite Portable Oxygen delivery system

DEVICE NAME:

Cylinder, Compressed Gas, and Valve

Classification Panel:

Cardiovascular and Respiratory Devices

Classification Number:

868.2700

Product Nomenclature:

Regulator, Pressure, Gas Cylinder

CAN

Classification Number:

868,2610

Product Nomenclature:

Gauge, Gas Pressure, Cylinder/Pipeline

Product Code(s):

Product Code(s):

**BXH** 

Classification Number:

unclassified

Product Nomenclature:

Cylinder, Compressed Gas, and Valve

Product Code(s):

ECX

Classification Number:

Product Nomenclature:

unclassified

Cylinder, Gas (Empty)

Product Code(s):

KGA

Helping You Care More Effectively

#### **AGA Linde Healthcare**



#### 5. DEVICE CLASSIFICATION:

Empty compressed gas cylinders and compressed gas cylinder with valve assemblies are unclassified devices, and reviewed by the Anesthesiology and Respiratory Devices Branch, Division of Anesthesiology, General Hospital, Infection Control, and Dental Devices.

Gas cylinder pressure regulators and gas pressure gauges are Class I devices and exempted from pre-market notification.

## 6. PREDICATE DEVICE(s):

- MEDICYL-E-Lite Portable Oxygen System
- Praxair Grab n' Go Portable Medical Oxygen System

#### 7. DEVICE DESCRIPTION:

The MEDICYL-E-Lite is an integrated portable oxygen delivery system intended to provide supplemental oxygen to adults. The device is MRI safe, MRI-compatible, and intended for use during MR imaging for MRI systems up to 3.0T. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Compressed gas cylinders in service or in storage shall be stabilized or otherwise secured to prevent falling and rolling.

The integrated system includes an aluminum cylinder, valve, regulator and flow meter. The device offers low flow settings that may be clinically appropriate for certain classes of patients.

#### 8. INDICATIONS FOR USE:

The MEDICYL-E-Lite is an integrated portable oxygen delivery system intended to provide supplemental oxygen to adults. The device is MRI safe, MRI-compatible, and intended for use during MR imaging for MRI systems up to 3.0T. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Compressed gas cylinders in service or in storage shall be stabilized or otherwise secured to prevent falling and rolling.

## 9. TECHNOLOGICAL CHARACTERISTICS:

A summary comparison of technological characteristics, including design and materials is provided in the table below:

Parameter	MEDICYL-E-Lite (MRI)	MEDICYL -E-Lite	Praxair Grab n' Go			
Valve/Regulator						
Low Flow Settings	yes	yes	no			
Flow Between Settings	no	no	no			
Cylinder On/Off	yes	yes	no			
Filling Port	active	active	active			
Contents Gauge	non-active	non-active	active			
Filters	3	3	1			
Pressure Design	4350psi	4350psi	3000psi			
Excess Flow Device	yes	yes	no			

## **AGA Linde Healthcare**



Parameter	MEDICYL-E-Life (MRI)	MEDICYL -E-Lite	Praxair Grab n' Go			
Single stage piston style	yes	yes				
Guard						
Hand grip	2 grip	2 grip	1 grip			
Access Ports	yes	yes	no			
Flow selector/hose barb/gauge aligned	yes	yes	no			
Color	green	green	green			
Height	6.75"	6.75″	8"			
Cylinder						
Sizes	D, E	D, E	E			
Weight (E)	900gr	900gr	1060gr			
Materials/construction	Aluminum	Aluminum	Steel			
MRI Compatibility						
MRI Safe	yes; tested up to 3.0T	no	no			
MRI Compatible	yes; tested up to 3.0T	no	no			

The manufacturer believes that the technological characteristics of the MEDICYL-E-Lite portable oxygen system is substantially similar to those of the predicate devices.

#### 10. PERFORMANCE DATA:

The aluminum cylinders conform to the requirements of 21CFR49 § 178.46, Specification SAL seamless aluminum cylinders.

The MEDICYL-E-Lite portable oxygen delivery system has been evaluated in accordance with the draft CDRH Magnetic Resonance Working Group document, A Primer on Medical Device Interactions with Magnetic Resonance Imaging Systems, dated February 7, 1997.

#### 11. STATEMENT OF SUBSTANTIAL EQUIVALENCE:

Based upon the safety and performance testing and compliance with voluntary standards, the manufacturer believes that the MEDICYL-E-Lite portable oxygen delivery system is substantially equivalent to the predicate devices, and does not raise any new questions of safety or effectiveness.



Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

## JUL 1 9 2004

AGA-Linde Healthcare, Incorporated C/O Mr. James Jochen Rogers General Manager Coastal Consulting Group, Limited P.O. Box 391117 Solon, Ohio 44139

Re: K033897

Trade/Device Name: Medicyl-E-Lite Portable Oxygen Delivery System

Regulation Number: None Regulation Name: None

Regulatory Class: Unclassified

Product Code: ECX Dated: May 15, 2004 Received: May 19, 2004

## Dear Mr. Rogers:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4646. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <a href="http://www.fda.gov/cdrh/dsma/dsmamain.html">http://www.fda.gov/cdrh/dsma/dsmamain.html</a>

Sincerely yours,

Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital, Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

# Indications for Use

510(k) Number (if known): \_K033897\_\_\_\_

Device Name:	Medicyl-E-Lite P	ortable Oxyger	n Delivery System			
Indications for	· Use:					
to provid	e supplemental c	exygen to adult	ole oxygen delivery system intended s. The device is MRI safe, MRI- MR imaging for MRI systems up to			
For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Compressed gas cylinders in service or in storage shall be stabilized or otherwise secured to prevent falling and rolling.						
		ſ				
(Division Sign-Off) Division of Anesthesiology, General Hospital, Infection Control, Dental Devices						
510(k) Number: <u><u><u>ko 33897</u></u></u>						
Prescription Use (Part 21 CFR 801 S		AND	Over-the-Counter Use X (21 CFR 807 Subpart C)			
(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)						
Concurrence of CDRH, Office of Device Evaluation (ODE)						

Page 1 of \_\_\_\_